

## CM3T

3" dual cone loudspeaker, white



The CM3T is a stylish small built-in 70 / 100 Volt loudspeaker. Thanks to its halogen-spot size, it can be integrated into any interior style. It is ideal for speech and background music in quiet areas, toilets, cloakrooms,....

The speaker has a full metal frame and a coated dual paper cone for the lowest distortion and increased resistance against moisture.

The CM3T is easy to install thanks to its simple, quick mounting system (2 spring clamps).

The versatile CM3T ceiling mount speaker now comes with the addition of the 70 / 100 volt connection, an elegant and stylish Apart removable logo and a redesigned tapping sticker for easy install.

The CM3T loudspeakers can be painted in any colour.


### TECHNICAL SPECIFICATIONS

outside diameter in mm	105	depth in mm	74
cutout in mm	85	installation grip range in mm	1 - 15
loudspeaker system	dual cone	woofer size in inch	3
woofer cone material	coated paper	mounting system	2 springs
colour	white / black	100V transformer power taps in watts	6 - 3 - 1.5
70V transformer power taps in watts	6 - 3 - 1.5 - 0.75	impedance in ohms	16
low impedance dynamic power in watts	20	low impedance RMS power in watts	10
SPL 1W/1m in dB	87	max SPL 1m in dB	99
frequency response in Hz	120 - 18K	main construction material	steel
grille main material	aluminium	IP rating	50
applicable low impedance	yes	applicable in 100V	yes
Vertical dispersion angle 1000 Hz	180°	closest RAL colour (subject to deviations)	RAL9010 (W) / RAL9011 (BL)
Net weight product in kg	0.35		

## POLAR PLOTS


Data Shown: CM3T (Apart Audio)  
Display Parameters: Frequency: 1000Hz (1/24th Octave)

Horizontal  
Vertical




Data Shown: CM3T (Apart Audio)  
Display Parameters: Frequency: 2000Hz (1/24th Octave)

Horizontal  
Vertical




Data Shown: CM3T (Apart Audio)  
Display Parameters: Frequency: 4000Hz (1/24th Octave)

Horizontal  
Vertical







Data Shown: CM3T (Apart Audio)  
Display Parameters: Frequency: 8000Hz (1/24th Octave)

Horizontal  
Vertical



MORE PICTURES



<b>APart</b>		<b>CM3T</b>			
GREEN	1.5W		Max. 20Watts music power 16 OHM		
WHITE	3W				
RED	6W				
BLACK	COM				