

# **KUBO3-W**

3" compact design full range cabinet loudspeaker, white



The compact KUBO3 design loudspeaker comes with a 3" full range driver unit and bass reflex port providing a fast and dynamic bass response. The exceptional symmetrical cube-shaped designed KUBO3 produces 40 watts dynamic power at 8 ohms. The K-Mount bracket combined with the carefully designed fixing K-bolts grant you a safe and comfortable loudspeaker hook-up.


The easy cable management and 140° vertical or horizontal mounting possibility allows you to install the KUBO3 everywhere on any type of wall or ceiling. The in & link connection with euroblock connectors, offers easy daisy chaining of multiple KUBO loudspeakers. The installer friendly end-caps, held in place by 14 integrated strong neodymium magnets, hide all connections and bracket hardware on both sides. The unseen original and timeless KUBO cabinet will blend audio in with any kind of interior, adding elegance to any architect designed environment.

### **TECHNICAL SPECIFICATIONS**

height in mm 125 width in mm 131  depth in mm 109 loudspeaker system full range	
double in years 100 loudenealism systems full range	
depth in mm109loudspeaker systemfull range	
woofer size in inch         3         woofer cone material         polypropylene	
mounting system         U-bracket         colour         black / white	
impedance (ohms) 8 low impedance dynamic power 40	
low impedance RMS power in 25	
watts SPL 1W/1m in dB 89	
max SPL 1m in dB 101 frequency response in Hz 94 - 20K	
main construction material         ABS plastic         grille main material         steel	
IP rating Horizontal dispersion angle 180°	
Vertical dispersion angle 1000 180°	
Hz closest RAL colour (subject to RAL9016 (W) / RAL9011 (BL)	
Net weight product (kg) 0,97 deviations)	



### **POLAR PLOTS**





# MORE PICTURES











## **ACCESSORIES**



### LRAPRE-W

Premium light rail adaptor KUBO3/5,SDQ5P,OVO5, pack of 2

#### **LRABAS-W**

Basic light rail adaptor KUBO3/5, SDQ5P, OVO5, pack of 10