



VYC 100 & YCV 100

COMPOSITE VIDEO TO S-VIDEO DECODER &
S-VIDEO TO COMPOSITE VIDEO ENCODER

- VYC 100 decodes (separates) composite video to S-video
- YCV 100 encodes S-video to composite video
- Uses digital three-line adaptive comb filter (VYC 100 only)
- Quad standard compatible
- 1U, one-eighth rack width metal enclosure
- External international power supply



VYC 100



YCV 100

The Extron VYC 100 is a composite video to S-video decoder and the YCV 100 is an S-video to composite video encoder. Both offer an economical, compact solution for signal conversion applications.



Extron® Electronics

www.extron.com

DESCRIPTION

The Extron **VYC 100** composite video to S-video decoder and **YCV 100** S-video to composite video encoder are high performance and economical VersaTools™ products that provide signal conversion solutions. The VYC 100 and YCV 100 function as alternatives for application-specific environments where the source signals are either decoded from composite video to S-video or encoded from S-video to composite video.


The VYC 100 is a composite video to S-video decoder that decodes or separates an incoming composite video signal on a female BNC connector, and outputs it as two simultaneous S-video signals on a 4-pin mini DIN connector and two female BNC connectors for the luma (Y) and chroma (C) signals.

The YCV 100 is an S-video to composite video encoder that encodes an incoming S-video signal on a 4-pin mini DIN connector or two female BNC connectors for the luma (Y) and chroma (C) signals, and outputs it as a composite video signal on a female BNC connector.

FEATURES

- The VYC 100 decodes (separates) composite video to S-video
- The YCV 100 encodes S-video to composite video
- Uses digital three-line adaptive comb filter (VYC 100 only)
- Quad standard compatible
- 1U, one-eighth rack width metal enclosure
- External international power supply included

APPLICATION DIAGRAM



SPECIFICATIONS

VIDEO

Gain	Unity
Bandwidth	
YCV 100.....	8 MHz (-3dB)
VYC 100.....	5.5 MHz (±0.5dB), 7 MHz (-3dB)

INPUT

Number/signal type	
YCV 100.....	1 S-video
VYC 100.....	1 composite video
Connectors	
YCV 100.....	2 female BNC or 1 female 4-pin mini DIN
VYC 100.....	1 female BNC
Nominal level.....	1V p-p for Y of S-video, and for composite video 0.3V p-p for C of S-video
Minimum/maximum levels	
S-video.....	Analog: 0.3V to 1.5V p-p
Composite video	Analog: 0.3V to 1.5V p-p with no offset
Impedance	75 ohms
Return loss	<-40dB @ 0 to 8 MHz

VIDEO OUTPUT

Number/signal type	
YCV 100.....	1 composite video
VYC 100.....	2 S-video
Connectors	
YCV 100.....	1 female BNC
VYC 100.....	2 female BNCs or 1 female 4-pin mini DIN
Nominal level.....	1V p-p for Y of S-video and for composite video 0.3V p-p for C of S-video
Minimum/maximum levels	0.3V to 1.5V p-p
Impedance	75 ohms
Return loss	<-30dB @ 10 MHz

GENERAL

Power	100VAC to 240VAC, 50/60 Hz, 6 watts, external, autoswitchable; to 12VDC, 1 A power supply. YCV 100 requires 0.1A, VYC 100 requires 0.5A.
Rack mount	Yes, with optional rack shelf, part #60-190-01 or part #60-190-20; under-furniture mountable with optional brackets #70-212-01; or projector mountable with optional brackets #70-217-01
Enclosure type	Metal
Enclosure dimensions	1.7" H x 2.2" W x 3.0" D (1U high, one-eighth rack width) 4.3 cm H x 5.6 cm W x 7.6 cm D (Depth excludes connectors.)
Product weight	0.5 lbs (0.2 kg)
Shipping weight	1 lbs (0.5 kg)
Listings/Compliances	UL, CUL, CE, FCC Class A, VCCI, AS/NZS, ICES
Warranty	3 years parts and labor

Model Part Numbers

VYC 100.....	60-558-01
YCV 100.....	60-559-01

Optional Accessories

VersaTools Rack Shelf Kit.....	60-190-20
1U Universal Rack Shelf Kit.....	60-190-01
Mini Under-Desk Mount Kit	70-212-01
Mini Projector Mount Kit	70-217-01

Specifications are subject to change without notice.



Extron Electronics, USA
1230 South Lewis Street
Anaheim, CA 92805
800.633.9876 714.491.1500
FAX 714.491.1517

Extron Electronics, Europe
Beeldschermweg 6C
3821 AH Amersfoort, The Netherlands
+800.3987.6673 +31.33.453.4040
FAX +31.33.453.4050

Extron Electronics, Asia
135 Joo Seng Rd. #04-01
PM Industrial Bldg.
Singapore 368363
+65.6383.4400 FAX +65.6383.4664

Extron Electronics, Japan
Daisan DMJ Bldg. 6F, 3-9-1 Kudan Minami
Chiyoda-ku, Tokyo 102-0074
Japan
+81.3.3511.7655 FAX +81.3.3511.7656